Poliklinika Modřany Soukalova 3355/3 143 00 Praha 4 www.fortmedica.cz +420 720 028 820 operace@fortmedica.cz MODŘANY BUDĚJOVICKÁ KARTOUZSKÁ SMÍCHOV BOŘISLAVKA

Informed consent of the patient / legal representative:

RHINOSEPTOPLASTY

(Plastic surgery of nose and nasal septum)

Head physician: Senior consultant MUDr. Tomáš Fořt

Head anaesthesiologist: MUDr. Roman Baláž	
Name and surname of the patient:	
Insurance number:	

I. Information about the nature of ailment:

Deviated nasal septum, either innate or after an injury, blocks nasal passability, impairs filtration of aspired air, causes recurrent inflammation of sinuses and snoring. Deviated nasal septum is often associated with innate or post-injury deviation of the whole nasal skeleton or formation of nasal humps. Also conditions after previous surgeries in the area of septum and nasal pyramid may be the cause of poor nasal breathing or cosmetic defects.

II. Information about the medical procedure:

The surgery is performed in general anesthesia. After the onset of anesthetic effects a breathing tube is introduced into the patient's windpipe. Subsequently, endoscopic instruments are used to shape the nasal septum and an osteotome is used to incise the nasal skeleton. Sometimes the procedure is complemented with laser mucotomy. There are two techniques to perform the procedure. The closed technique uses an incision at the nasal entry, while the open technique requires a small incision of the nasal columella, which, however, is not cosmetically visible. In conclusion a gentle tamponade with antibiotic ointment is placed inside the nasal passages and from the outside the nose is covered with a brace which remains in place for 14 days. The procedure takes 1-3 hours depending on severity of the defect. Patient's vital functions are subsequently monitored in a recovery room for ca 2-4 hours. In case of long anesthesia the patient may stay overnight.

III. Risks of the procedure (general, individual):

There is a risk of post-operative early or late (after 5-8 days) bleeding, particularly if the client takes medication containing salicylic acid or heparin. In women the bleeding may be caused by ongoing menstruation. The surgery wound always heals with slight inflammation because a nasal cavity is not sterile and contains physiological bacteria. Extraction of front teeth may also occur as a result of intubation. The risk of overall anesthesia increases with age and seriousness of other diseases of the patient and it also includes potential unpredictable reactions of the organism to administration of medicaments and other procedures associated with a surgery in general anesthesia. The result of the surgery depends on individual healing.

IV. Alternatives of the procedure:

Corticoid, anti-allergic and immunological therapy. The advantage of those methods is that they are not invasive but they have low efficiency. The surgery should be used after all conservative therapeutic options have been exhausted as recommended by an ENT specialist. If the therapy is refused the patient is at risk of complications caused by infections or development of asthmatic symptoms.

V. Answers to additional questions from the patient/legal representative: (or indicate that the patient did not ask any additional questions)					
Physician's repres	sentation:				
manner about the prepresentative has be	lanned surgery, including	information abou ne planned method	tative identified above in a t potential complications. of anaesthesia, including	The patient/legal	
Date:	MUDr.:		Physician's signature:		
Patient's / legal re	epresentative's conse	nt:			
about the planned s additional questions (performance of the su	urgery, including anaesthe if any) have been answere urgery procedure, including the lack of such procedures	esia and including ed. Having consider g the described and	the physician in an unders warning about potential of ed the provided information esthesia and including othe ht immediately threaten the	complications. My n, I agree with the er procedures and	
I agree to pay the price	e of disposable materials ir	n the amount of	Kč.		
Date:	Patient's signatu	re:			
· · · · · · · · · · · · · · · · · · ·	another method of legal re	=	ned by his/her legal represermined by the court. Then		
Legal representative	1:				
Name and surname _		ID	Signature		
Legal representative	2:				

Name and surname ______ ID. _____ Signature _____