Poliklinika Modřany Soukalova 3355/3 143 00 Praha 4 www.fortmedica.cz +420 720 028 820 operace@fortmedica.cz MODŘANY BUDĚJOVICKÁ KARTOUZSKÁ SMÍCHOV BOŘISLAVKA

Informed consent of the patient / legal representative:

SEPTOPLASTY

+ EVENT. LASER MUCOTOMY

(Surgery of the nasal septum + eventual reduction of the volume of the lower shells)

I. Information about the nature of ailment:

A deviated nasal septum, whether congenitally or post-traumatically, causes poor nasal patency, poorer filtration of inhaled air, recurrent sinusitis, and snoring. Also, swollen lower nasal shells due to chronic allergies or colds impair nasal ventilation and cause nasal drops addiction.

II. Information about the medical procedure:

The operation is performed under general anaesthesia. After putting the patient to sleep, an intubation tube is inserted into the airway. The nasal septum is then sculpted with endoscopic instruments and the excess nasal mucosa of the lower nasal passages is vaporised with a laser. Finally, a gentle nasal tamponade with antibiotic ointment is inserted into the nasal passages. The stay in the operating room lasts up to 1 hour. This is followed by transfer to the postoperative room where vital signs are monitored. The patient remains here for 2-4 hours after surgery.

III. Risks of the procedure (general, individual):

There is a risk of postoperative early or late (day 5-8) bleeding, especially if the patient was taking salicylic acid or heparin drugs. In women, ongoing menstruation may cause bleeding. The surgical wound always heals with mild inflammation, especially on the lower nasal shells, as the nasal cavity is not sterile and also contains physiological bacteria. The risk of general anaesthesia increases with the age and severity of the patient's other diseases and includes possible unpredictable reactions of the body to the administration of drugs and other procedures associated with the procedure under general anaesthesia.

IV. Alternatives of the procedure:

Corticoid, antiallergic, immunological therapy. The advantage is the possibility of non-invasive treatment. Surgery is approached after exhausting the possibility of conservative therapy on the recommendation of an ENT specialist. In case of refusal of therapy, there is a risk of infectious complications, possibly the development of asthmatic problems.

V. Answers to additional questions from the patient/legal representative: (or indicate that the patient did not ask any additional questions)				
Physician's repre	sentation:			
manner about the prepresentative has be	olanned surgery, including	information abou ne planned method	tative identified above in a t potential complications. of anaesthesia, including i	The patient/legal
Date:	MUDr.:		Physician's signature:	
Patient's / legal r	epresentative's conse	nt:		
about the planned s additional questions (performance of the s	surgery, including anaesthe (if any) have been answere urgery procedure, including the lack of such procedures	esia and including ed. Having consider the described and	the physician in an unders warning about potential o ed the provided information esthesia and including othe tht immediately threaten the	complications. My n, I agree with the er procedures and
I agree to pay the pric	ce of disposable materials in	the amount of	Kč.	
Date:	Patient's signatu	re:		
· · · · · · · · · · · · · · · · · · ·	another method of legal re	_	ned by his/her legal represermined by the court. Then	
Legal representative	1:			
Name and surname _		ID	Signature	
Legal representative	2:			

Name and surname ______ ID. _____ Signature _____